# **SDS** SAFETY DATA SHEET Wilsonart LLC

SDS Number: Page 1 of 6		Wilsonart <sup>®</sup> 400 Series (Decorative Metals) and 900 Series (Metalcor)	Revision No.: 4 Revision Date: 06/20/14
Section 1	IDENTIFIC	ATION	
Product Name	: Wilsonart	<sup>®</sup> Decorative Laminate (400 and 900 Series Laminates)	
	Includes:	Type 414 – Decorative Metal	
		Type 415 – Decorative Metal	
		Type 416 – Decorative Metal	
		Type 418 – Decorative Metal	
		Type 419 – Decorative Metal	
		Grade 953 Metalcor	
		Grade 958 Metalcor	
		Grade 960 Metalcor	
		Grade 964 Metalcor	
		Grade 965 Metalcor	
Manufacturer:	WILSONA	RT LLC	
	P. O. BOX	6110 – 10501 H. K. DODGEN LOOP	
	TEMPLE,	TX 76503	
		TION PHONE: 800-433-3222 (USA)	

Trade Name: Decorative Metals & Metalcor

Materials Uses: Decorative Laminate

# In Case of Emergency Contact CHEMTREC: 800-424-9300 (USA) 703-527-3887 (INTERNATIONAL)

### Section 2 HAZARD IDENTIFICATION

**GHS Classification:** Not Applicable. Material is classified as non-hazardous.

GHS Signal Words with Hazard and Precautionary Statements: Not Applicable.

GHS Pictograms: Not Applicable.

**Route of Entry:** None for product as sold. For dust or chips generated during fabrication operations: eye contact, skin contact, and inhalation.

Target Organs: None.

- **Skin Contact:** Solid sheet may be abrasive to, or cut skin. Fabrication operations such as milling, cutting, grinding, etc., may produce dust or fines that may be irritating.
- **Eye Contact:** No hazard for product as sold. Fabrication operations such as milling, cutting, grinding, etc., may produce dust or fines that may be irritating.
- **Respiratory Contact:** No hazard for product as sold. Fabrication operations such as milling, cutting, grinding, etc., may produce dust or fines that may be irritating.

**Ingestion:** Not an expected route of entry.

#### WARNING! This product may form combustible dust during processing.

SDS SAFETY DATA SHEET Wilsonart LLC									
SDS Number: 19966	Wilsonart <sup>®</sup> 400 Series (Dec		Revision No.: 4						
Page 2 of 6	etalcor)	Revision Date: 06/20/14							
HMIS (United States)	NFPA (United States)	WHMIS (Canada): No	t classified as hazardous						
Health	0								
Flammability	1 1								
Reactivity	0								
PPE	BOOO								

Section 3 COMPOSIT	ION / INFORMATION	ON INGREDIENTS	
Name	CAS #	% by Weight	
Aluminum Alloy	Not Available	0 – 95	
Stainless Steel Alloy	Not Available	0 – 95	
Polyethylene	9002-88-4	0 – 80	
Cellulose	9004-34-6	0 – 60	
Formaldehyde Resins	Not Applicable	0 – 50	
Styrene Acrylic Copolymer	Not Applicable	< 0.1	

#### Section 4 FIRST-AID MEASURES

**Skin:** Solid sheet may be abrasive to, or cut skin. Fabrication operations such as milling, cutting, grinding, etc., may produce dust or fines that may be irritating. May aggravate existing skin conditions. Wash with soap and water. If irritation persists, seek medical attention.

**Eye:** No hazard for product as sold. Fabrication operations such as milling, cutting, grinding, etc., may produce dust or fines that may be irritating to the eyes. Rinse eyes with water for 15 minutes. If irritation persists, seek medical attention.

**Respiratory:** No hazard for product as sold. Fabrication operations such as milling, cutting, grinding, etc., may produce dust or fines that may be irritating to the respiratory tract. If irritation persists, seek medical attention. **Ingestion:** Not an expected route of entry with normal product use.

#### Section 5 FIRE-FIGHTING MEASURES

Suitable Extinguishing Media: Use extinguishing media appropriate for surrounding fire.

Specific Hazards Arising from the Chemical: Not Available.

**Special Protective Equipment and Precautions for Firefighters:** Use self-contained breathing apparatus and protective clothing appropriate for surrounding fire.

Flash Point and Method: Not Applicable.

Flammability Classification: Not Available.

Risk of Explosion due to Mechanical Impact: Not Applicable.

**Risk of Explosion due to Static Discharge:** No hazard for product as sold. Fabrication operations such as milling, cutting, grinding, etc., may produce dust. Fine dust dispersed in the air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard.

Hazardous Products of Combustion: Carbon Oxides (CO and CO<sub>2</sub>) and various Hydrocarbons.

Special Remarks: None.

# SDS SAFETY DATA SHEET

SDS Number: 19966

Page 3 of 6

Wilsonart<sup>®</sup> 400 Series (Decorative Metals) and 900 Series (Metalcor) Revision No.: 4 Revision Date: 06/20/14

Section 6 ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment, and Emergency Procedures: Material is non-hazardous as sold.

Environmental Precautions: None.

Clean-Up Methods and Materials: Material is non-hazardous as sold.

# Section 7 HANDLING AND STORAGE

**Handling Precautions:** No specific usage precautions required. Follow normal good hygiene practices. Protect exposed skin from cuts and abrasions. Minimize dust generation and accumulation. Routine housekeeping should be instituted to ensure that dust does not accumulate on surfaces. Avoid dispersal of dust in the air (i.e., clearing dusty surfaces with compressed air).

Storage Precautions: Store in a dry well-ventilated area.

# Section 8 EXPOSURE CONTROLS / PERSONAL PROTECTION

#### **Control Parameters and Exposures:**

Material Name:

# Exposure Limits:

Laminate Dust (Particulate Not Otherwise Regulated - PNOR):

OSHA PEL: TWA 5 mg/m<sup>3</sup> (respirable)

TWA 15 mg/m<sup>3</sup> (total)

**Engineering Controls:** No special ventilation requirements for product as sold. Provide adequate ventilation to meet exposure guidelines if fabrication operations generate dust or fines. It is recommended that all dust control equipment such as local exhaust ventilation and material transport systems involved in handling the dust particulate of this product contain explosion relief vents or an explosion suppression system or an oxygen-deficient environment. Ensure that dust handling systems (such as exhaust ducts, dust collectors, vessels, and processing equipment) are designed in a manner to prevent the escape of dust into the work area (i.e., there is no leakage from the equipment).

# **Individual Protection Measures and PPE:**

**Eye / Face Protection:** Wear safety glasses with side shields during fabrication operations that produce chips, fines, or dust.

**Skin Protection:** Gloves suitable for protection against cuts and abrasions from sharp edges are recommended.

**Respiratory Protection:** Respirators – No specific recommendations. Respiratory protection must be used if the OSHA Permissible Exposure Limit for laminate dust (Particulate Not Otherwise Regulated – PNOR) is exceeded.

Thermal Hazards: None.

# Section 9 PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Solid sheet, various colors and dimensions.
Odor: None.
Odor Threshold: Not Applicable.
pH: Not Applicable.
Melting Point / Freezing Point: Not Applicable.
Initial Boiling Point and Boiling Range: Not Applicable.
Flash Point and Method: Not Applicable.
Evaporation Rate: Not Applicable.
Flammability: Material is combustible.

# SDS SAFETY DATA SHEET

Wilsonart LLC 166 Wilsonart<sup>®</sup> 400 Series (Decorative Metals) and 900

Revision No.: 4 Revision Date: 06/20/14

Page 4 of 6Series (Metalcor)Lower Explosion Limit: Not Applicable.Upper Explosion Limit: Not Applicable.Vapor Pressure: Not Applicable.Vapor Density: Not Applicable.Relative Density: 85 – 165 lbs./ft<sup>3</sup>.Solubility(ies): Not soluble.Partition Coefficient (n-Octanol in Water): Not Applicable.Auto-Ignition Temperature: Not Available.Decomposition Temperature: Not Available.Viscosity: Not Applicable.

# Section 10 STABILITY AND REACTIVITY

Reactivity: Product is non-reactive.

Chemical Stability: Product is stable.

Possibility of Hazardous Reactions: None.

Conditions to Avoid: None.

SDS Number: 19966

**Materials to Avoid (Incompatibility):** Strong Acids or Alkalis may react with metal component of product to generate Hydrogen.

Hazardous Decomposition Products: Carbon Oxides (CO, CO<sub>2</sub>) and various Hydrocarbons.

### Section 11 TOXICOLOGICAL INFORMATION

Acute Toxicity to Animals: This product has not been tested for animal effects. This product is not expected to be toxic to animals.

Acute Toxicity to Humans: This product has not been tested for human effects. This product is not expected to be toxic to humans.

**Chronic Toxicity to Animals:** This product has not been tested for animal effects. This product is not expected to be toxic to animals.

**Chronic Toxicity to Humans:** This product has not been tested for human effects. This product is not expected to be toxic to humans.

Skin Corrosion / Irritation: Not Available.

Eye Damage / Irritation: Not Available.

Respiratory Sensitization: Not Available.

Skin Sensitization: Not Available.

Mutagenicity: Not Available.

Carcinogenicity: Not Available.

Reproductive Toxicity: Not Available.

STOST- Single Exposure: Not Available.

**STOST – Repeated Exposure:** Not Available.

Aspiration Hazard: Not Applicable.

#### Section 12 ECOLOGICAL INFORMATION

Ecotoxicity: Not available. Not expected to be ecotoxic. Persistence and Degradability: Not Available. Bioaccumulative Potential: Not Available. Mobility in Soil: Not Available. Other Adverse Effects: Not Available.

# SDS SAFETY DATA SHEET Wilsonart LLC

SDS Number: 19966 Wilsonart<sup>®</sup> 400 Series (Decorative Metals) and 900

Revision No.: 4 Revision Date: 06/20/14

Page 5 of 6

Series (Metalcor)

**Disposal Methods:** Not classified as hazardous waste. Dispose of in accordance with Federal, State, and local regulations.

# Section 14 TRANSPORT INFORMATION

UN Number: Not Available.

UN Proper Shipping Name: Not Available.

Transport Hazard Class: Not Applicable.

Packing Group: Not Applicable.

DOT Classification: Not Applicable.

Special Provision for Transport: Not Applicable.

ADR / RID Classification: Not Applicable.

ICAO/IATA Classification: Not Applicable.

IMO/IMDG Classification: Not Applicable.

Marine Pollutant: Not expected to be a marine pollutant.

# Section 15 REGULATORY INFORMATION

#### **U.S. Federal Regulations**

	SARA 302 (EHS)TPQ	SARA 313 de minimis	CAA 112(r) TQ	RCRA Code
Aluminum – as dust (CAS 7429-90-5)		1		

All quantities in pounds.

#### **State Regulations**

Chemical (& CAS Number)	CA Prop 65	MA RTK	MN RTK	NJ RTK	PA RTK	RI RTK
Aluminum – as dust (CAS 7429-90-5)		Х	Х	Х	Х	Х
Formaldehyde (CAS 50-00-0)	X*	Х	Х	Х	Х	Х

**\*WARNING:** This product contains a chemical known to the State of California to cause cancer. Formaldehyde (CAS 50-00-0) in trace amounts.

#### International Regulations

DSL (Canada): None. EINECS: None. WHMIS: Not classified as hazardous.

# Section 16 OTHER INFORMATION

Changes to This Revision: Delete product grade 408

**Prepared By:** Environmental, Health, and Safety Department, Wilsonart LLC. **Telephone:** 254-207-7000 **Internet:** www.wilsonart.com

#### Notice to Reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above named manufacturer nor any of its subsidiaries assumes any liability whatsoever for accuracy or completeness of the information contained herein.

# **SDS** SAFETY DATA SHEET Wilsonart LLC

SDS Number: 19966 Page 6 of 6 Wilsonart<sup>®</sup> 400 Series (Decorative Metals) and 900 Series (Metalcor)

Revision No.: 4 Revision Date: 06/20/14

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

END OF SDS DOCUMENT