Compact
by Wilsonart

SCREENING DATE: 2026-10-29
PUBLISHED DATE: 2026-10-29
EXPIRY DATE: 2029-10-29
PREPARER: Self-Prepared

Health Product Declaration v3.0
created via: HPDC Online Builder

HPD UNIQUE IDENTIFIER: 61101680
HPD UNIQUE PRODUCT ID: Not provided.
CLASSIFICATION: 06 06 00 Schedules for Wood, Plastics, and Composites
PRODUCT DESCRIPTION: High-pressure decorative compact laminates according to /EN 438-4 and ISO 4586-4 (Compact HPL,thickness ≥ 2 mm) with a density of at least 1350 kg/m³.High-pressure decorative compact laminates are characterized by their aesthetic qualities, strength, durability and functional performance. Compact HPL sheets are available in a wide variety of colors, patterns and surface finishes. They are resistant to wear, impact, scratching, moisture, heat, staining and light and possess good hygienic and anti-static properties. Compact HPL are easy to clean and maintain. Compact HPL can be glued, riveted or screwed on wooden or metallic substructures or anchored in mechanical fastening brackets to be used in invisible mounting systems.Dimensions:Length: up to 5600 mm Width: up to 2200 mm Thickness 2 ≤ t < 40 mm (Compact HPL, /EN 438) This HPD covers: Compact - Types: 114,117,514,515,569,571,572,568,575,590

Section 1: Summary — Basic Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format
→ Basic Method

Threshold Disclosed Per
→ Product

Threshold Level
→ 100 ppm

Residuals/Impurities Evaluation
→ Completed

Explanation(s) provided :
Yes

For all contents above the threshold, the manufacturer has:

Characterized Yes
Provided weight and role.

Screened Yes
Provided screening results using HPDC-approved methods.

Identified Yes
Provided name and CAS RN or other identifier.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

PRODUCT | MATERIAL OR SUBSTANCE | *RESIDUAL OR IMPURITY*
GREENSCREEN SCORE | HAZARD TYPE

COMPACT [WOOD/CELLULOSE FIBER (KRAFT/DECORATIVE/OVERLAY) NoGS PHENOLIC RESIN LT-P1 MELAMINE RESIN LT-UNK COLORANT NoGS GRIT BM-2 | CAN | MAM RELEASE AGENT NoGS]

Number of Greenscreen BM-4/BM3 contents ... 0
Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) ... LT-P1
Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

*Greenguard certificates referenced below, residual emissions < 7 ppb **Full ingredients disclosure withheld to protect proprietary formulation

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

COMPLIANCE *See Section 3 for additional listings.*

VOC emissions: UL/GreenGuard Gold Certified
VOC emissions: SCS Indoor Advantage Gold
Surfacing Food Service Equipment: NSF / ANSI 35
Sustainable forestry: FSC Certification - Chain of Custody (COC)

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Option 1.
Pre-checked for LEED v4 Option 2.
Pre-checked for LEED v4.1 Option 1.

Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- *Basic Inventory method with Product-level threshold.*
- *Nested Material Inventory method with Product-level threshold*
- *Nested Material Inventory method with individual Material-level thresholds*

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 3.0, available on the HPDC website at: www.hpd-collaborative.org/hpd-3-0-standard

COMPACT

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes

RESIDUALS AND IMPURITIES NOTES: UL-E Greenguard testing is recertified annually. For currrent certificate see www.wilsonart.com

OTHER PRODUCT NOTES: High-pressure decorative compact laminates according to /EN 438-4 and ISO 4586-4 (Compact HPL,thickness ≥ 2 mm) with a density of at least 1350 kg/m³.High-pressure decorative compact laminates are characterized by their aesthetic qualities, strength, durability and functional performance. Compact HPL sheets are available in a wide variety of colors, patterns and surface finishes. They are resistant to wear, impact, scratching, moisture, heat, staining and light and possess good hygienic and anti-static properties. Compact HPL are easy to clean and maintain. Compact HPL can be glued, riveted or screwed on wooden or metallic substructures or anchored in mechanical fastening brackets to be used in invisible mounting systems.Dimensions:Length: up to 5600 mm Width: up to 2200 mm Thickness 2 ≤ t < 40 mm (Compact HPL, /EN 438)

WOOD/CELLULOSE FIBER (KRAFT/DECORATIVE/OVERLAY)

ID: 65996-61-4

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2026-10-29 13:03:23**

%: **65.0000 - 84.0000** GreenScreen: **NoGS** RC: **PostC** NANO: **No** SUBSTANCE ROLE: **Structure component**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
EXEMPT	European Union / European Commission (EU EC)	EU - REACH Exemptions Exempted from REACH Annex IV listing due to intrinsic safety

SUBSTANCE NOTES: Post-consumer recycled content varies by product type. For detailed information see www.wilsonart.com

PHENOLIC RESIN

ID: 9003-35-4

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2026-10-29 13:03:24**

%: **0.0000 - 35.0000** GreenScreen: **LT-P1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Polymer species**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	International Living Future Institute (ILFI)	Living Building Challenge 4.0 - Red List of Materials & Chemicals - Effective July 10, 2026 Red List substances to avoid in Living Building Challenge V4.0 projects

SUBSTANCE NOTES: Exposure would occur only during paper treating operations in manufacturing.

MELAMINE RESIN

ID: 9003-08-1

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2026-10-29 13:03:24**

%: **0.0000 - 35.0000** GreenScreen: **LT-UNK** RC: **None** NANO: **No** SUBSTANCE ROLE: **Polymer species**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Green Science Policy Institute (GSPI)	GSPI - Six Classes Precautionary List Flame Retardants
RESTRICTED LIST	International Living Future Institute (ILFI)	Living Building Challenge 4.0 - Red List of Materials & Chemicals - Effective July 10, 2026 Red List substances to avoid in Living Building Challenge V4.0 projects
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2025 All Products

SUBSTANCE NOTES: Exposure would occur only during paper treating operations in manufacturing.

COLORANT

ID: 8005-02-5

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2026-10-29 13:03:25**

%: **0.0000 - 0.7000** GreenScreen: **NoGS** RC: **None** NANO: **No** SUBSTANCE ROLE: **Dye**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES: This item is used as a colorant for some products.

GRIT

ID: 1344-28-1

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2026-10-29 13:03:25**

%: **0.0000 - 0.4000** GreenScreen: **BM-2** RC: **None** NANO: **No** SUBSTANCE ROLE: **Abrasion resistance**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
CAN	MAK	Carcinogen Group 2 - Considered to be carcinogenic for man
MAM	GHS - Japan	H335 - May cause respiratory irritation [Specific target organ toxicity - Single exposure - Category 3]

MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2025 Children's Toy Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v5.0 Product Standard Restricted Substances - Effective March 16, 2026 Children's Toy Products

SUBSTANCE NOTES: This item is used to reduce abrasion for this product.

RELEASE AGENT

ID: **38815-93-9**

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2026-10-29 13:03:25**

%: **0.0010 - 0.0200** GreenScreen: **NoGS** RC: **None** NANO: **No** SUBSTANCE ROLE: **Anti-adhesive agent**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES: This is used as a release agent in this product.

Section 3: Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS — **UL/GreenGuard Gold Certified**

COMPLIANCE TYPE: Third Party
ISSUE DATE: 2004-07-21
EXPIRY DATE: No expiration
CERTIFIER/VERIFIER/TESTING LAB/AUDITOR: UL E GreenGuard
COMPLIANCE DETAILS:
COMPLIANCE SCOPE:
APPLICABLE FACILITIES: Temple, TX and Fletcher, NC
COMPLIANCE URL: https://www.wilsonart.com/resources?category=Laminate&document_type=Sustainability
COMPLIANCE NOTES: Certification is renewed on an annual basis. The UL-E Greenguard Gold certification program shows compliance in accordance with California Department of Public Health (CDPH) Standard Method V1.2-2017. Additional information can be found in Section 5. UL-E Greengold Certificates of Compliance: 139170-420 - Wilsonart Thinscape Performance Tops, 1111-420 - Wilsonart Compact Laminate For Thinscape: https://www.wilsonart.com/resources?category=Thinscape&document_type=Sustainability

VOC EMISSIONS — **SCS Indoor Advantage Gold**

COMPLIANCE TYPE: Third Party
ISSUE DATE: 2019-10-01
EXPIRY DATE: No expiration
CERTIFIER/VERIFIER/TESTING LAB/AUDITOR: SCS
COMPLIANCE DETAILS:
COMPLIANCE SCOPE:
APPLICABLE FACILITIES: Temple, TX and Fletcher, NC
COMPLIANCE URL: https://www.wilsonart.com/media/Technical_Resources/en/wilsonart_2020_scs-iaq-02654_s.pdf
COMPLIANCE NOTES: Compact Panel SCS-EC10.3-2014 v4.0 Registration #: SCS-IAQ-02654

SURFACING FOOD SERVICE EQUIPMENT — **NSF / ANSI 35**

COMPLIANCE TYPE: Third Party
ISSUE DATE: 2012-08-07
EXPIRY DATE: No expiration
CERTIFIER/VERIFIER/TESTING LAB/AUDITOR: NSF
COMPLIANCE DETAILS:
COMPLIANCE SCOPE:
APPLICABLE FACILITIES: Temple, TX and Fletcher, NC
COMPLIANCE URL:
COMPLIANCE NOTES: Types: 117,520,521,522,523,524,525,528,532,533,535,538,514,515,560,568,569,571,572,575,590,596,597,598,599 Work contact surfaces acceptable as nonwork surfaces.

SUSTAINABLE FORESTRY — **FSC Certification - Chain of Custody (COC)**

COMPLIANCE TYPE: Third Party
ISSUE DATE: 2019-06-24
EXPIRY DATE: No expiration
CERTIFIER/VERIFIER/TESTING LAB/AUDITOR: SCS Global Services
COMPLIANCE DETAILS:
COMPLIANCE SCOPE:
APPLICABLE FACILITIES: Temple, TX and Fletcher, NC
COMPLIANCE URL: https://www.wilsonart.com/resources?category=Laminate&document_type=Sustainability
COMPLIANCE NOTES: The Forest Stewardship Council (FSC) is an independent, non-government, not-forprofit organization established to promote responsible forest management practices. FSC forest management certification is awarded to forest managers who adopt practices that provide

environmental, social and economic benefits. FSC Mixed
Certificate for Laminate: SCS-COC-002415 FSC Mix Credit

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

WILSONART BRAND ADHESIVES
MANUFACTURER (OR GENERIC): **Wilsonart**

HPD URL: https://www.wilsonart.com/adhesives-products
ACCESSORY TYPE: Adhesive
CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: Adhesives are used to bond HPL to various substrates including particleboard, medium density fiberboard and hardwood faced plywood.

WILSONART DECORATIVE EDGE
MANUFACTURER (OR GENERIC): **Wilsonart**

HPD URL: https://www.wilsonart.com/laminate-edge-options
ACCESSORY TYPE: Installation Accessory
CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: Eliminate the flat edges and brown seams traditionally associated with laminate surfaces with Wilsonart Decorative Edges. Available in a range of profiles offering modern look found on more expensive natural stone and engineered quartz.

Section 5: General Notes

High-pressure decorative compact laminates according to /EN 438-4 and ISO 4586-4 (Compact HPL,thickness ≥ 2 mm) with a density of at least 1350 kg/m³.High-pressure decorative compact laminates are characterized by their aesthetic qualities, strength, durability and functional performance. Compact HPL sheets are available in a wide variety of colors, patterns and surface finishes. They are resistant to wear, impact, scratching, moisture, heat, staining and light and possess good hygienic and anti-static properties. Compact HPL are easy to clean and maintain. Compact HPL can be glued, riveted or screwed on wooden or metallic substructures or anchored in mechanical fastening brackets to be used in invisible mounting systems.Dimensions:Length: up to 5600 mm Width: up to 2200 mm Thickness 2 ≤ t < 40 mm (Compact HPL, /EN 438)

Section 6: References

MANUFACTURER INFORMATION

MANUFACTURER: **Wilsonart**
ADDRESS: **2501 Wilsonart Drive**
P.O. Box 6110
Temple, TX 76503-6110
COUNTRY: **United States**

WEBSITE: **https://www.wilsonart.com**
CONTACT NAME: **Randy Parcus**
TITLE: **Technical Services**
PHONE: **800-433-3222**
EMAIL: **smartline@wilsonart.com**

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity
CAN Cancer
DEV Developmental toxicity
END Endocrine activity
EYE Eye irritation/corrosivity
GEN Gene mutation
GLO Global warming
LAN Land toxicity
MAM Mammalian/systemic/organ toxicity
MUL Multiple
NEU Neurotoxicity
NF Not found on Priority Hazard Lists
OZO Ozone depletion
PBT Persistent, bioaccumulative, and toxic
PHY Physical hazard (flammable or reactive)
REP Reproductive
RES Respiratory sensitization
SKI Skin sensitization/irritation/corrosivity
UNK Unknown

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)
BM-3 Benchmark 3 (use but still opportunity for improvement)
BM-2 Benchmark 2 (use but search for safer substitutes)
BM-1 Benchmark 1 (avoid - chemical of high concern)
BM-U Benchmark Unspecified (due to insufficient data)
LT-P1 List Translator Possible 1 (Possible Benchmark-1)
LT-1 List Translator 1 (Likely Benchmark-1)
LT-UNK List Translator Benchmark Unknown
NoGS No GreenScreen.

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, www.greenscreenchemicals.org, and Best Practices for Hazard Screening on the HPDC website (hpd-collaborative.org).

Recycled Types

PreC Pre-consumer recycled content
PostC Post-consumer recycled content
UNK Inclusion of recycled content is unknown
None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material
Nested Method / Product Threshold Substances listed within each material per threshold indicated per product
Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology
Third Party Verified Verification by independent certifier approved by HPDC
Preparer Third party preparer, if not self-prepared by manufacturer
Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard is not:

- *a method for the assessment of exposure or risk associated with product handling or use,*
- *a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.*

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.