High Pressure Laminate by Wilsonart

Health Product Declaration v2.3

created via: HPDC Online Builder

HPD UNIQUE IDENTIFIER: 152447324160

CLASSIFICATION: 06 06 00 Schedules for Wood, Plastics, and Composites

PRODUCT DESCRIPTION: High Pressure Decorative Laminates (HPL) are made from paper, thermoset resins, pigments and various fillers which are consolidated under high pressure and heat into a sheet. HPL is suitable for horizontal and vertical applications including but not limited to countertops, table tops, furniture, case goods, wall panels, interior architectural doors and partitions. This HPD Covers: Chalkboard, High Wear, Markerboard, Wilsonart® HD® & Premium HPL, Wilsonart® HPL STANDARD.

Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format

C Nested Materials Method

Basic Method

Threshold Disclosed Per

Material

Product

Threshold Level

C 1,000 ppm

O Per GHS SDS

Other

Residuals/Impurities Evaluation

Completed

C Partially Completed

O Not Completed

Explanation(s) provided:

Yes O No.

For all contents above the threshold, the manufacturer has:

Characterized

Yes ○ No

⊙ Yes ○ No

Provided weight and role.

Screened

Provided screening results using HPDC-approved

methods.

Identified

Yes ○ No

Provided name and CAS RN or other identifier.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

PRODUCT | MATERIAL OR SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

HIGH PRESSURE LAMINATE [WOOD/CELLULOSE FIBER (KRAFT/DECORATIVE/OVERLAY) NoGS MELAMINE RESIN LT-UNK PHENOLIC RESIN LT-P1 | RES GRIT BM-2 | MAM COLORANT NoGS **RELEASE AGENT NoGS**

Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) ...

LT-P1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

*Greenguard certificates referenced below, residual emissions < 7 ppb

**Full ingredients disclosure withheld to protect proprietary formulation

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: UL/GreenGuard Gold Certified VOC emissions: SCS Indoor Advantage Gold

Sustainable forestry: FSC Certification - Chain of Custody (COC) Recycled content: SCS Recycled Content Certification - Products

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Option 1. Pre-checked for LEED v4 Option 2. Pre-checked for LEED v4.1 Option 1.

Third Party Verified?

O Yes O No

PREPARER: Self-Prepared

VERIFIER:

VERIFICATION #:

SCREENING DATE: 2023-07-28 PUBLISHED DATE: 2023-08-01

EXPIRY DATE: 2026-07-28

Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- · Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.3, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-3-standard

HIGH PRESSURE LAMINATE

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes

RESIDUALS AND IMPURITIES NOTES: UL Greenguard testing is recertified annually. For currrent certificate see www.wilsonart.com

OTHER PRODUCT NOTES: High Pressure Decorative Laminates (HPL) are made from paper, thermoset resins, pigments and various fillers which are consolidated under high pressure and heat into a sheet. The monomers and polymers react under these conditions to polymerize into a thermoset hard resin system. The residuals are a very small fraction of the unreacted monomers and are less than 7.3 parts per billion according to the UL 2818 Greenguard test protocol.

WOOD/CELLULOSE FIBER (KRAFT/DECORATIVE/OVERLAY)

ID: 65996-61-4

HAZARD DATA SOURCE: P	haros Chemical and Materials Library	HAZARD SC	REENING DAT	E: 2023-07-28 8:17:38		
%: 40.0000 - 80.0000	GreenScreen: NoGS	RC: PostC	NANO: No	SUBSTANCE ROLE: Structure component		
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS			
None found			No w	rarnings found on HPD Priority Hazard Lists		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATIO	N		
EXEMPT		european Union / European Commission		EU - REACH Exemptions		
	(EU EC)		Exempted fro safety	m REACH Annex IV listing due to intrinsic		

SUBSTANCE NOTES: Post-consumer recycled content varies by product type. For detailed information see www.wilsonart.com

MELAMINE RESIN				ID: 9003-08-1	
HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD S	CREENING DATE:	2023-07-28 8:17:38	
%: 2.3000 - 35.0000	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Polymer species	
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS		
None found			No warr	nings found on HPD Priority Hazard Lists	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION		
RESTRICTED LIST	FRICTED LIST International Living Future Institute (ILFI)		Living Building Challenge 4.0 - Red List of Materials & Chemicals - Effective April 1, 2023		
			Red List substar Challenge V4.0 p	nces to avoid in Living Building projects	

PHENOLIC RESIN	ID: 9003-35-4
----------------	---------------

HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD SO	CREENING DATE:	2023-07-28 8:17:38		
%: 0.0000 - 34.0000	GreenScreen: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Polymer species		
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS			
RES	AOEC - Asthmagens	EC - Asthmagens		Asthmagen (Rs) - sensitizer-induced		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION			
RESTRICTED LIST	International Living Future Institu	International Living Future Institute (ILFI)		Living Building Challenge 4.0 - Red List of Materials & Chemicals - Effective April 1, 2023		
			Red List substar Challenge V4.0 p	nces to avoid in Living Building projects		

SUBSTANCE NOTES: Exposure would occur only during paper treating operations in manufacturing.

GRIT ID: 1344-28-1

HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD SCREENING DATE: 2023-07-28 8:17:39			
%: 0.0000 - 0.7000	GreenScreen: BM-2	RC: None	NANO: No	SUBSTANCE ROLE: Abrasion resistance	
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS		
MAM	GHS - Japan		repeated exp	es damage to organs through prolonged or osure [Specific target organs/systemic ving repeated exposure - Category 1]	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATIO	N	
RESTRICTED LIST	RESTRICTED LIST Cradle to Cradle Products Innovation Institute (C2CPII)		C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022		
			Biological and	d Environmentally Released Materials	
RESTRICTED LIST	Cradle to Cradle Products Innov Institute (C2CPII)	ation		l v4 Product Standard Restricted List (RSL) - Effective July 1, 2022	
			Children's Pro	oducts	

SUBSTANCE NOTES: This substance is used to improve abrasion.

COLORANT ID: 8005-02-5

HAZARD DATA SOURCE: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2023-07-28 8:17:39

%: 0.0000 - 0.4700 GreenScreen: NoGS RC: None NANO: No SUBSTANCE ROLE: Dye

HAZARD TYPE LIST NAME AND SOURCE WARNINGS

None found No warnings found on HPD Priority Hazard Lists

ADDITIONAL LISTINGS LIST NAME AND SOURCE NOTIFICATION

None found No listings found on Additional Hazard Lists

SUBSTANCE NOTES: This colorant is used in some HPL products.

RELEASE AGENT ID: 38815-93-9

HAZARD DATA SOURCE: Pharos Chemical and Materials Library HAZARD SCHEENING DATE: 2023-07-28 8:17:39

%: 0.0200 - 0.0400 GreenScreen: NoGS RC: None NANO: No SUBSTANCE ROLE: Anti-adhesive agent
HAZARD TYPE LIST NAME AND SOURCE WARNINGS

None found No warnings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS LIST NAME AND SOURCE NOTIFICATION.

SUBSTANCE NOTES: This is used as a release agent in this product.

None found

No listings found on Additional Hazard Lists

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS UL/GreenGuard Gold Certified

CERTIFYING PARTY: Third Party

ISSUE DATE: 2004-07-21

CERTIFIER OR LAB: UL

APPLICABLE FACILITIES: Temple, TX and Fletcher, NC CERTIFICATE URL:

EXPIRY DATE:

GreenGuard

https://www.wilsonart.com/resources?

category=Laminate&document_type=Sustainability

CERTIFICATION AND COMPLIANCE NOTES: Certification is renewed on an annual basis. The UL Greenguard Gold certification program shows compliance in accordance with California Department of Public Health (CDPH) Standard Method V1.2-2017. Additional information can be found in Section 5. UL Greengold Certificates of Compliance: 1110-420 - Wilsonart Laminate, 1106-420 - Wilsonart High-Wear Laminate, 1830-420 -Wilsonart x You, 62094-420 Virtual Design Library

VOC EMISSIONS

SCS Indoor Advantage Gold

CERTIFYING PARTY: Third Party

ISSUE DATE: 2019-10-01

CERTIFIER OR LAB: SCS Global

APPLICABLE FACILITIES: Temple, TX and Fletcher, NC

EXPIRY DATE:

Services

CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES: Series: 107, 335, 350, 376 SCS-EC10.3-2014 v4.0

SUSTAINABLE FORESTRY

FSC Certification - Chain of Custody (COC)

CERTIFYING PARTY: Third Party

ISSUE DATE: 2019-06-24

CERTIFIER OR LAB: SCS Global

APPLICABLE FACILITIES: Temple, TX and Fletcher, NC

EXPIRY DATE: Services

CERTIFICATE URL:

https://www.wilsonart.com/resources?

category=Laminate&document_type=Sustainability

CERTIFICATION AND COMPLIANCE NOTES: The Forest Stewardship Council (FSC) is an independent, non-government, not-forprofit organization established to promote responsible forest management practices. FSC forest management certification is awarded to forest managers who adopt practices that provide environmental, social and economic benefits. FSC Mixed Certificate for Laminate: SCS-COC-002415 FSC Mix Credit

RECYCLED CONTENT

SCS Recycled Content Certification - Products

CERTIFYING PARTY: Third Party

ISSUE DATE: 2017-01-01

CERTIFIER OR LAB: SCS Global

APPLICABLE FACILITIES: Temple, TX and Fletcher, NC

EXPIRY DATE:

Services

CERTIFICATE URL: https://www.wilsonart.com/resources?

category=Laminate&document_type=Sustainability

CERTIFICATION AND COMPLIANCE NOTES: Recycle content is typically present in Wilsonart HPL products. The recycle content of the wood/cellulose fiber layers may vary depending on the product type, thickness and other attributes. For certificates covering specific products see: https://www.wilsonart.com/resources?category=Laminate&document_type=Sustainability

OTHER

NSF / ANSI 35

CERTIFYING PARTY: Third Party

ISSUE DATE: 2012-08-07

CERTIFIER OR LAB: NSF

APPLICABLE FACILITIES: Temple, TX and Fletcher, NC

EXPIRY DATE:

CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES: Types: 174, 107, 372, 374, 377, 350, 376, 362, 364, 367, 335, 336. Work contact surfaces acceptable as nonwork surfaces.

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

WILSONART BRAND ADHESIVES

MANUFACTURER (OR GENERIC): Wilsonart

HPD URL: https://www.wilsonart.com/adhesives-products

ACCESSORY TYPE: Adhesive

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: Adhesives are used to bond HPL to various substrates including particleboard, medium density fiberboard and hardwood faced plywood.

WILSONART DECORATIVE EDGE

MANUFACTURER (OR GENERIC): Wilsonart

HPD URL: https://www.wilsonart.com/laminate-edge-options

ACCESSORY TYPE: Installation Accessory

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: Eliminate the flat edges and brown seams traditionally associated with laminate surfaces with Wilsonart Decorative Edges. Available in a range of profiles offering modern look found on more expensive natural stone and engineered quartz.



Section 5: General Notes

Laminates are evaluated under the UL 2818 "GREENUARD Certification Program For Chemical Emissions for Building Materials, Finishes and Furnishings". Building products and interior finishes are determined compliant in accordance with California Department of Public Health (CDPH) Standard Method V1.2- 2017 in the office environment; while commercial furniture and furnishings are tested in accordance with ANSI/BIFMA M7.1-2011(R2016) and determined to comply with ANSI/BIFMA X7.1-2011(R2016) and ANSI/BIFMA e3-2014e Credit 7.6.1, 7.6.2, and 7.6.3 in a private office environment.

MANUFACTURER INFORMATION

MANUFACTURER: Wilsonart
ADDRESS: 2501 Wilsonart Drive

P.O. Box 6110

Temple TX 76503-6110, USA

WEBSITE: https://www.wilsonart.com

CONTACT NAME: Randy Parcus
TITLE: Technical Services
PHONE: 800-433-3222

EMAIL: smartline@wilsonart.com

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

Hazard Types

KEY

AQU Aquatic toxicity

CAN Cancer

DEV Developmental toxicity **END** Endocrine activity

EYE Eye irritation/corrosivity

GEN Gene mutation

GLO Global warming

LAN Land toxicity

MAM Mammalian/systemic/organ toxicity

MUL Multiple
NEU Neurotoxicity

NF Not found on Priority Hazard Lists

OZO Ozone depletion

PBT Persistent, bioaccumulative, and toxic

PHY Physical hazard (flammable or reactive)

REP Reproductive

RES Respiratory sensitization

SKI Skin sensitization/irritation/corrosivity

UNK Unknown

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

BM-2 Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (due to insufficient data)

LT-P1 List Translator Possible 1 (Possible Benchmark-1)

LT-1 List Translator 1 (Likely Benchmark-1)
LT-UNK List Translator Benchmark Unknown

NoGS No GreenScreen.

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, www.greenscreenchemicals.org, and Best Practices for Hazard Screening on the HPDC website (hpd-collaborative.org).

Recycled Types

PreC Pre-consumer recycled content

PostC Post-consumer recycled content

UNK Inclusion of recycled content is unknown

None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this